



DUROTECH WATERPROOFING SYSTEMS

Proudly manufactured in Australia since 1977

www.durotechindustries.com.au



TABLE OF CONTENT

SYSTEM 1	Lift Pits	2	SYSTEM 9	Water Tanks	10
SYSTEM 2	Basement Waterproofing	3	SYSTEM 10	Ponds/ Water Features	11
SYSTEM 3	Retaining Walls	4	SYSTEM 11	Roof Waterproofing Non Exposed	12
SYSTEM 4	Planter Box Waterproofing	5	SYSTEM 12	Roof Waterproofing Exposed	13
SYSTEM 5	Podium Waterproofing	6	SYSTEM 13	External Facade Coatings	14
SYSTEM 6	Balcony/Decks	7	SYSTEM 14	Epoxy Flooring System	15-16
SYSTEM 7	Internal Wet Area Waterproofing	8	Durotech Projects		17-19
SYSTEM 8	Plant Room Waterproofing	9	Case Study		20-21





Disclaimer : The information provided in this Durotech Waterproofing System brochure is correct at the time of printing (albeit is subject to change at any time) and is intended to give a simple description of the product and its capabilities. In practice, the substrate, intended surface to be treated and environmental conditions vary widely, making it essential for the user to determine the products suitability for a particular application and to ensure that the product is not used beyond its physical limitations. If in doubt contact the manufacturer. The product will perform as described herein provided it is applied in accordance with the manufacturer's instructions as stated in the manufacturers technical data sheet and provided that the building and installation is structurally sound and the application is carried out competently. Durotech terms and conditions of sale apply.

Lift Pits



Duroproof Polyurethane (System 1a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof Polyurethane

-  Moisture curing
-  Application by brush, spray, roller, squeegee
-  +800% Elongation
-  Single component no mixing


Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums



Duroproof BLW (System 1b) Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

-  Single Component, Simple Application
-  Waterbased, Environmentally Friendly
-  Excellent Strength & Elongation
-  Rapid Curing





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes



Duroflex Tank (System 1c) 2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

-  No primer required, bonds to damp surfaces
-  Flexible with good elongation properties
-  Can be applied on vertical and horizontal surfaces
-  Suitable for immersed and underground areas





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  OSD Water Tanks



DuroTorch APP (System 1d) Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

-  Excellent elongation
-  High tensile strength
-  Tear resistant
-  Suitable for low temperature

Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums
-  Rooftops (non Exposed light traffic)







Basement Waterproofing



Duroproof Polyurethane (System 2a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof Polyurethane

-  Moisture curing
-  Application by brush, spray, roller, squeegee
-  +800% Elongation
-  Single component no mixing

Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums



Duroproof BLW (System 2b) Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

-  Single Component, Simple Application
-  Waterbased, Environmentally Friendly
-  Excellent Strength & Elongation
-  Rapid Curing





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes



Duroflex Tank (System 2c) 2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

-  No primer required, bonds to damp surfaces
-  Flexible with good elongation properties
-  Can be applied on vertical and horizontal surfaces
-  Suitable for immersed and underground areas





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  OSD Water Tanks



DuroTorch APP (System 2d) Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

-  Excellent elongation
-  High tensile strength
-  Tear resistant
-  Suitable for low temperature

Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums
-  Rooftops (non Exposed light traffic)







Retaining Walls



Duroproof Polyurethane (System 3a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof Polyurethane

-  Moisture curing
-  Application by brush, spray, roller, squeegee
-  +800% Elongation
-  Single component no mixing


Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums



Duroproof BLW (System 3b) Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

-  Single Component, Simple Application
-  Waterbased, Environmentally Friendly
-  Excellent Strength & Elongation
-  Rapid Curing





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes



Duroflex Tank (System 3c) 2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

-  No primer required, bonds to damp surfaces
-  Flexible with good elongation properties
-  Can be applied on vertical and horizontal surfaces
-  Suitable for immersed and underground areas





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  OSD Water Tanks



DuroTorch APP (System 3d) Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

-  Excellent elongation
-  High tensile strength
-  Tear resistant
-  Suitable for low temperature

Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums
-  Rooftops (non Exposed light traffic)







Planter Box Waterproofing



Duroproof Polyurethane (System 4a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof Polyurethane

-  Moisture curing
-  Application by brush, spray, roller, squeegee
-  +800% Elongation
-  Single component no mixing



Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  Balconies
-  Podiums



Duroproof BLW (System 4b) Water Based Bitumen Latex Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic BLW

-  Single Component, Simple Application
-  Waterbased, Environmentally Friendly
-  Excellent Strength & Elongation
-  Rapid Curing





Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes



Duroflex Tank (System 4c) 2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

-  No primer required, bonds to damp surfaces
-  Flexible with good elongation properties
-  Can be applied on vertical and horizontal surfaces
-  Suitable for immersed and underground areas

Use Areas

-  Basement / Lift Pit Walls
-  Retaining Walls & Planter Boxes
-  OSD Water Tanks










Podium Waterproofing



Duroproof PPM (System 5a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM

-  Single component, easy to spread
-  Class III - elongation as per AS/NZ 4858
-  Excellent toughness
-  Low odour, low VOC

- Use Areas**
-  Internal Wet areas
 -  Retaining Walls & Planter Boxes
 -  Balconies
 -  Podiums
 -  Rooftops (Non exposed light traffic)









DUROPROOF PPM



Duromastic P15 (System 5b) Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duromastic P15

-  Fast drying Rapid Cure Technology
-  Water-Based, Environmentally Friendly
-  Excellent Strength & over 800% Elongation
-  Single Component, Simple Application

- Use Areas**
-  Internal Wet areas
 -  Balconies
 -  Podiums
 -  Rooftops (Non exposed light traffic)







DUROPROOF PPM



DuroTorch APP (System 5c) Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

-  Excellent elongation
-  High tensile strength
-  Tear resistant
-  Suitable for low temperature

- Use Areas**
-  Basement / Lift Pit Walls
 -  Retaining Walls & Planter Boxes
 -  Balconies
 -  Podiums
 -  Rooftops (non Exposed light traffic)



DUROPROOF PPM

Balcony/Decks



Duroproof PUM PRO (System 6a)

Liquid Applied, Polyurethane Combustible liquid Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PUM PRO

- Single component
- Fast curing
- Low odour, low VOC
- Excellent toughness

Use Areas

- Wet areas
- Balconies
- Podiums
- Retaining Walls & Planter Boxes



Duromastic P15 (System 6b)

Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



Duromastic ACS2 (System 6c)

2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic ACS-2

- Water-Based, Environmentally Friendly
- Rapid Cure Membrane
- Economical Waterproofing Membrane
- Durable Fibre reinforced

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Exterior Facade walls



DuroTorch APP (System 6d)


Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)







Internal Wet Area Waterproofing



Duroproof PUM (System 7a)
 High Viscosity, Liquid Applied, Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PUM

-  Single component
-  Fast curing
-  Good chemical resistance
-  High strength




Use Areas

-  Internal Wet areas
-  Balconies
-  Podiums
-  Rooftops (Non exposed light traffic)



Duromastic P15 (System 7b)
 Water Based Polyurethane Membrane

Joint Sealant	DuroSeal PU-25
Primer	Hibuild Epoxy Primer
Membrane	Duromastic P15

-  Fast drying Rapid Cure Technology
-  Water-Based, Environmentally Friendly
-  Excellent Strength & over 800% Elongation
-  Single Component, Simple Application

Use Areas

-  Internal Wet areas
-  Balconies
-  Podiums
-  Rooftops (Non exposed light traffic)







Plant Room Waterproofing



Duroproof PPM/ATC (System 9a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM
Top Coat	Duroproof TTC

-  Single component, easy to spread
-  Class III - elongation as per AS/NZ 4858
-  Excellent toughness
-  Low odour, low VOC




- Use Areas**
-  Rooftops (Exposed to UV)
 -  Rooftops (Non exposed light traffic)



Duromastic AC non slip (System 9b) Water Based Acrylic Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duromastic AC non slip

-  UV Stable
-  Light Foot Traffic Resistant
-  Water Based, Environmentally Friendly
-  Low Odour & Low VOC

- Use Areas**
-  Rooftops (Exposed to UV)
 -  Rooftops (Non exposed light traffic)
 -  Exterior Facade walls



Duropoxy SLR 100 (System 9c) 100% solids epoxy high performance floor coating

Joint Sealant	DuroSeal 25LM
Primer	Self Priming
Membrane	Duropoxy SLR 100

-  100% solvent free
-  Chemical resistant
-  Self Leveling
-  Low VOC

- Use Areas**
-  Garage, Factory floors
 -  Workshops
 -  Warehouses



Water Tanks



Duroflex Tank (System 10a) 2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

-  No primer required, bonds to damp surfaces
 -  Flexible with good elongation properties
 -  Can be applied on vertical and horizontal surfaces
 -  Suitable for immersed and underground areas
- Use Areas**
-  Basement / Lift Pit Walls
 -  Retaining Walls & Planter Boxes
 -  OSD Water Tanks



DUROFLEX TANK



DUROFLEX TANK







DUROFLEX TANK

Ponds/ Water Features




Duroflex Tank (System 11a) 2 Part Flexible Cementitious Membrane

Joint Sealant	DuroElasto Tape
Primer	Self Priming
Membrane	DuroFlex Tank

-  No primer required, bonds to damp surfaces
-  Flexible with good elongation properties
-  Can be applied on vertical and horizontal surfaces
-  Suitable for immersed and underground areas

- Use Areas**
-  Basement / Lift Pit Walls
 -  Retaining Walls & Planter Boxes
 -  OSD Water Tanks











DUROMASTIC DUROPOND



Duromastic Duropond (System 11b) Water Based Polyurethane Membrane

Joint Sealant	Duroseal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic Duropond

-  Single component, waterbased
-  Excellent water resistance
-  Low VOC
-  + 600% Elongation

- Use Areas**
-  OSD Water Tanks
 -  Water features
 -  Ponds
 -  Fountains & bird baths



DUROMASTIC DUROPOND

Roof Waterproofing non exposed



Duroproof PPM (System 12a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

Use Areas

- Internal Wet areas
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



Duromastic P15 (System 12b) Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Fast drying Rapid Cure Technology
- Water-Based, Environmentally Friendly
- Excellent Strength & over 800% Elongation
- Single Component, Simple Application

Use Areas

- Internal Wet areas
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



DuroTorch APP (System 12c) Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

Use Areas

- Basement / Lift Pit Walls
- Retaining Walls & Planter Boxes
- Balconies
- Podiums
- Rooftops (Non exposed light traffic)



DUROPROOF PPM

Roof Waterproofing Exposed



Duroproof PPM/ATC (System 13a) Solvent Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	Duroproof PPM
Top Coat	Duroproof ATC

- Single component, easy to spread
- Class III - elongation as per AS/NZ 4858
- Excellent toughness
- Low odour, low VOC

- Use Areas**
- Rooftops (Exposed to UV)
 - Rooftops (Non exposed light traffic)



Duromastic Durarroof (System 13b) Water Based Polyurethane Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic Durarroof

- Innovative Crack-bridging Technology
- Excellent Strength & Elongation
- Foot Traffic Resistant
- Water-Based, Environmentally Friendly

- Use Areas**
- Balconies
 - Rooftops (Exposed to UV)
 - Rooftops (Non exposed light traffic)
 - Exterior Facade walls



Durotorch APP / Durotorch Mineral (System 13c) Torch Applied Sheet Membrane System

Primer	Durotorch Bitumen Primer
Membrane	DuroTorch APP
Top Coat	Durotorch Mineral

- Excellent elongation
- High tensile strength
- Tear resistant
- Suitable for low temperature

- Use Areas**
- Basement / Lift Pit Walls
 - Retaining Walls & Planter Boxes
 - Balconies
 - Podiums
 - Rooftops (Non exposed light traffic)



Duromastic AC (System 13d) Water Based Acrylic Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic AC

- UV Stable
- Light Foot Traffic Resistant
- Water Based, Environmentally Friendly
- Low Odour & Low VOC

- Use Areas**
- Rooftops (Exposed to UV)
 - Rooftops (Non exposed light traffic)
 - Exterior Facade walls



External facade and parapet exposed surfaces



Duromastic Duroarmor (System 8a) Water Based Elastomeric Membrane

Primer	Hibuild Epoxy Primer
Membrane	DuroMastic P15

- Available in over 1000 Colours
- Excellent water resistance
- Low VOC
- + 300% Elongation

Use Areas

- Rooftops (Exposed to UV)
- Balconies
- Rooftops (Non exposed light traffic)
- Exterior Facade walls



Duromastic AC (System 8b) Water Based Acrylic Membrane

Joint Sealant	DuroSeal 25LM
Primer	Hibuild Epoxy Primer
Membrane	DuroMastic AC

- UV Stable
- Light Foot Traffic Resistant
- Water Based, Environmentally Friendly
- Low Odour & Low VOC

Use Areas

- Rooftops (Exposed to UV)
- Rooftops (Non exposed light traffic)
- Exterior Facade walls



Duromastic Durosolar (System 8c) Solar Reflective Membrane Coating For Facades, Walls & Fascias

Primer	Hibuild Epoxy Primer
Membrane	Durosolar

- Water Based, Environmentally Friendly
- Light Foot Traffic Resistant
- Low Odour & Low VOC
- Available in Colours

Use Areas

- Concrete, brick, blockwork, render walls and facades, concrete roof tiles
- Bitumen roof top coating
- As a Solar Reflective colour topcoat for Duroroof, Duromastic AC & P15.



DUROMASTIC AC



DUROSOLAR

Epoxy Flooring Systems

DuroPoxy SLR 100

DuroPoxy SLR100 is a solvent free, durable floor coating based on a hard wearing, two component epoxy resin system. The cured floor provides excellent resistance to chemical and mechanical damage. There is a semi-gloss surface finish for this product that is textured and durable. This product can be applied to a 400um profile, this can be achieved in two coats.

Features

- Kits – no onsite mixing errors
- 100% solvent free
- Extended working time
- Chemical resistance
- Bonds to damp surface
- Chemical resistant
- Non-flammable
- Can be coloured – enhance the solution for client needs



Use Areas

- Workshops
- Garage floors
- Factory floor
- Warehouses
- Shop floors

DuroPoxy Binder

DuroPoxy Binder is an excellent product that is truly versatile. It is truly good technology ready for saving cost and creating leverage in your current based markets. The general-purpose binder has a wide variety of applications. This multi go to application allows epoxy to be used in a wide variety of application.

A solvent less binder to be used with sands and as a concrete binder designed for applications for structural integrity. This is low viscosity, hydrophobic (bonds to wet surfaces) and hardening to form a hard surface with excellent adhesions, compressive strength and tensile strength and creates resistance to the entry of water.

Features

- One product - creates many solutions
- 100% solvent free
- Low temperature cure
- Extended working time
- Chemical resistance
- Excellent adhesion to damp or dry concrete
- Chemical resistant
- Excellent mechanical strength
- Extend time and suitable for aggregate mixture



Use Areas

- Repair and structural bonding of new to old concrete
- Repair of cracks in old concrete floors
- Grouts for bolts and support in concrete
- Coving applications

Epoxy Flooring Systems

DUROPOXY PRIMER 100

DuroPoxy Primer 100 is a solvent free, non pigmented two component epoxy based primer for Durotech self levelling flooring epoxy systems. This also can be for a primer for polyurethane flooring products medium to heavy industrial wear. DuroPoxy Primer 100 is used as a primer over dense concrete and cementitious surfaces as the key surface coating and bonding agent suitable for epoxy resin systems. DuroPoxy Primer 100 is applied to substrates such as concrete and cement screeds.

Features

- High adhesive strength - creates an extremely good bond to concrete substrates and aggregates
- Lower viscosity
- Excellent cure rate low temperatures
- Chemical resistance
- Excellent adhesion to dry, damp and or dense surfaces
- Multi-purpose epoxy primer
- Non-flammable
- Very low VOC content



Use Areas

- Primer for dense concrete
- Mortar
- Screed
- Primer for trafficable epoxy systems
- Primer for polyurethane membranes
- Primer for damp substrates

Our Project Pictures



Global Switch (400 Harris St, Ultimo)



Queenwood School for Girls, Mosman



University of Wollongong - Early Start Facility



University of Wollongong - Early Start Facility




Westmead Millennium Institute (Westmead Hospital)





University of Western Sydney

Durotech Product Project Photos



Durotech Product Project Photos



CASE STUDY

The Tallest Residential Tower In Western Sydney - One Australia Avenue



- **PROJECT**
Sydney, NSW, Australia

- **PROJECT COMPLETION DATE**
February 2015

- **DEVELOPER**
Parkview

PROJECT SPECIFICATIONS

Australia Avenue Olympic village is one of the most prestigious premium buildings in the Sydney Homebush area. Spanning over 2 towers featuring 360 views in Sydney as well as an impressive world class design and beautiful city and bridge views.

THE DUROSYSTEM PRODUCT RANGE


The tallest residential tower in western Sydney – at 30 floor high – is to be known as One Australia Avenue and is located in Sydney Olympic Park.

The elliptical glass-walled building will have bronze-coloured bands wrapped around its façade and will be surrounded by 430-hectares of parklands.

Supported, tested and backed by a team of specialist local experts with a combined 40 years of Australia market experience, Durotech was used across a number of applications.

- Water Tanks
- Lift Pits
- Planter Boxes
- Internal Wet Areas
- Plant Rooms
- Balconies
- Podiums
- Roof Tops

With sustainability now the focus of many Tier One construction projects, Durotechs ECO friendly low VOC and green building products proved to be a high-quality environmentally friendly alternative to other waterproofing solutions on the market.



CASE STUDY

ALTITUDE

Parramatta's Tallest Riverfront Residential Tower
330 Church Street Parramatta NSW 2150



- **PROJECT**
Sydney, NSW, Australia
- **PROJECT COMPLETION DATE**
February 2017
- **DEVELOPER**
Meriton

PROJECT SPECIFICATIONS

Altitude rises over 170m high with 54 levels of luxury apartment living, spectacular views and an unrivalled riverfront location. Live in the heart of the cultural district, surrounded by dining, sporting and outdoor options. Experience the ultimate height of living at Altitude apartments, and enjoy the luxurious fixtures and finishes, designed by award-winning Tony Caro architects.



THE DUROSYSTEM PRODUCT RANGE

Products Used

- Duromix Hibuild WBE
Epoxy Primer
- Duroproof PPM
- Duromastic P15
- Duroseal 25LM

Use Areas

- Planter Boxes
- Internal Wet Areas
- Plant Rooms
- Balconies





DUROTECH Launches
its new Online store,
we want our solution driven
innovative products right into
our customers hands.

Why **DUROTECH** ?

- 1 Innovative Products
- 2 High quality locally made
- 3 Online Customer Support
- 4 Australian made
Australian warranties
- 5 40 Years Australian Made
- 6 Compatible full systems

Follow us @:



PROUDLY AUSTRALIAN MADE




Made In Australia For Over 45 Years




Durotech Industries



+61 2 9603 1177 

1300 791 177 

+61 2 9475 5059 

sales@durotechindustries.com.au 

www.durotechindustries.com.au 

Follow us @:

